

ಸಂದರ್ಭದಲ್ಲಿ ಹಣ ಬೇಕಾದರೆ ಸರ್ಕಾರದವರು ಒದಗಿಸಿಕೊಡುತ್ತೇವೆ. ಸಂದರ್ಭಾನುಸಾರ ಜನರಿಗೆ ಉಪಕಾರ ಮಾಡುವ ಸಲುವಾಗಿ, ನೀರಿನ ಸೌಕರ್ಯ ಒದಗಿಸುವ ಸಲುವಾಗಿ ಒಂದು ಯೋಜನೆ ಸಂಯೋಜಿತಿಯಲ್ಲಿ ಹಾಕಿಕೊಂಡು ಅನುಕೂಲ ಮಾಡಿಕೊಡುತ್ತೇವೆ.

ಶ್ರೀ ಕೆ. ಯಂಕಟಪ್ಪ.—ಸ್ವಾಮಿ, ಒಂದೆ ಬರಗಾಲದ ವೇಳೆಯಲ್ಲಿ ಬೋರ್‌ವೆಲ್‌ಗಳನ್ನು ಮಾಡತಕ್ಕಂತಹ ತಾಂತ್ರಿಕ ಅಧಿಕಾರಿಗಳು ತಪ್ಪು ಲೆಕ್ಕ ಕೊಟ್ಟಿದ್ದಾರೆ. ತಮಗೆ ಒಂದು ಉದಾಹರಣೆ ಹೇಳಬೇಕು ಎಂದರೆ, ಹಾರೆಗೊಪ್ಪ ಎಂದು ಒಂದು ಊರು ಇದೆ ಅಲ್ಲೆ ಸುಮಾರು ೯೫ ಅಡಿ ಬೋರ್‌ವೆಲ್ ತೆಗೆದು, ೫೦ ಅಡಿ ಸೀಲಿಂಗ್ ಪೈಪ್ ಹಾಕಿದ್ದಾರೆ, ಸರ್ಕಾರಕ್ಕೆ ಲೆಕ್ಕ ಮಾತ್ರ ೯೫ ಅಡಿ ಕೊಟ್ಟಿದ್ದಾರೆ ಆದ್ದರಿಂದ ಇದರ ಬಗ್ಗೆ ತನಿಖೆ ನಡೆಸುತ್ತೀರಾ ?

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಕೆಲವು ಕಡೆ ಅನಿರೀಕ್ಷಿತವಾಗಿ ಆಗುತ್ತವೆ. ಮಾನ್ಯ ಸದಸ್ಯರು ಹೇಳ ತಕ್ಕದ್ದು ಸತ್ಯಾಂಶ ಇದ್ದರೆ ಅದನ್ನು ಪರಿಶೀಲನೆ ಮಾಡಿಸುತ್ತೇನೆ.

ಶ್ರೀ ಕೆ. ಯಂಕಟಪ್ಪ.—ಒಂದೆ ಬರಗಾಲ ಪರಿಸ್ಥಿತಿ ಇದ್ದಾಗ ಅಧಿಕಾರ ವರ್ಗಕ್ಕೆ ಬರಗಾಲ ಬರಲಿಲ್ಲ ೯೫-೧೦೦ ಅಡಿ ಪೈಪ್ ಹಾಕುವ ಬದಲು ೫೦ ಅಡಿ ಪೈಪ್ ಹಾಕಿ ತಪ್ಪು ಲೆಕ್ಕ ಕೊಡುವುದು ಒಂದೇ ಅವರಿಗೆ ಗೊತ್ತಿದ್ದುದು ಆದ್ದರಿಂದ ಅವರು ತಪ್ಪು ಲೆಕ್ಕ ಕೊಟ್ಟಿರುವುದರಿಂದ ಈ ಬಗ್ಗೆ ಪರಿಶೀಲಿಸುತ್ತೀರಾ

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಮಾನ್ಯ ಸದಸ್ಯರಿಗೆ, ತಪ್ಪು ಆಗಿದ್ದರೆ ಅದನ್ನು ಪರಿಶೀಲನೆ ಮಾಡಿ ಸರಿಪಡಿಸುತ್ತೇನೆ ಎಂದು ಈಗಾಗಲೇ ಹೇಳಿದ್ದೇನೆ. ಅವರು ಮಾಡಿರತಕ್ಕದ್ದು ಸರಿ ಇದೆ ಎಂದು ನಾನು ತಿಳಿದುಕೊಂಡಿದ್ದೇನೆ. ತಾವು ಈಗ ತಪ್ಪು ಲೆಕ್ಕ ಕೊಟ್ಟಿದ್ದಾರೆ ಎಂದು ಹೇಳುತ್ತಿದ್ದೀರಾ, ಆದ್ದರಿಂದ ಅದನ್ನು ಪರಿಶೀಲನೆ ಮಾಡಿ, ಅವರು ಏನಾದರೂ ತಪ್ಪು ಲೆಕ್ಕ ಕೊಟ್ಟಿದ್ದರೆ, ಸೂಕ್ತ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುತ್ತೇನೆ.

(ii) *re: Hardship to public due to Scarcity of Water in Bhalki Taluk*

**SRI BHEEMANNA KHANDRE (Bhalki).**— I call the attention of the Minister for Rural Development and Panchayati Raj to the hardship caused to the public due to Scarcity of Water in Bhalki Taluk.

**SRI K. PRABHAKAR.**— There are 622 Revenue Villages and 65 Hamlets in Bidar District. Out of which 371 Revenue Villages and Hamlets are identified as scarcity affected Villages by the Public Health Engineering Department. Bore Wells have been provided to 162 such villages, besides providing bore wells to 127 other villages which falls outside the identified villages. 469 bore wells have been provided to these 289 villages, of which 335 bore wells are successful. All these bore wells have been provided with either hand pumps or power pumps. (296 Bore wells have been provided with hand pumps and 39 with power pumps.) Besides providing Bore Wells, 53 villages have been sanctioned Piped Water Supply Schemes. Of these 53 schemes, 41 have been completed and the remaining 12 are under various stages of progress. Instructions have been issued to the Executive Engineer, P. H. E. Division (Mechanical), Gulbarga, to complete the pending schemes during 1978-79.

In regard to Bhalki Taluk, in particular, out of 122 Revenue Villages, 94 villages are identified as scarcity affected villages and 33 of them have already been covered under the Bore Wells Programme.

The remaining 61 villages are programmed to be provided with Bore Wells during 78-79. Besides 33 Minimum Needs Programme Villages, 21 other villages have also been covered under the Bore Wells Programme. Thus in all 93 Bore Wells have been sunk in these villages, out of which 62 bore wells are successful and all of them have been fitted with hand pumps or power pumps (55 hand pumps and 7 power pumps). Under NRWS and Sanitation Programme, 13 Water Supply Schemes have been sanctioned to this Taluk out of which 11 schemes are already completed and the other two schemes are likely to be completed during 1978-79.

The Deputy Commissioner, Bidar, has stated that due to non-receipt of timely rains and insufficient rains in the months of June and July, 1977, scarcity of drinking water was felt in the Rural areas of the District especially in Humnabad Town and that during these months arrangements were made to supply drinking water to the people through tankers. A sum of Rs. 2,30,000 has been released to Bidar District, to take up work of Gokattas, deepening of pit wells, repairs and replacement of hand pumps to the bore wells and to meet the transportation charges of drinking water etc. The Taluk wise details are indicated below:

Sl. No.	Name of the Taluk	Total amount spent	Works taken up		No. of Villages Covered
			Deepening of wells	Repairs to hand pumps	
		Rs.			
1.	Aurad	25,000	25	36	61
2.	Basvakalyan	40,000	19	40	59
3.	Bhalki	33,000	9	33	42
4.	Bidar	15,000	6	34	40
5.	Humnabad	40,000	23	33	56
	Total ...	1,53,000	82	176	258

So far, a sum of Rs. 1,53,000 has been incurred out of Rs. 2,30,000.

The Deputy Commissioner, Bidar, has stated that it is not a fact that people from Bhalki Taluk are migrating to other places for want of drinking water facility.

There was some difficulty in providing funds under the Bore Wells Programme, during January and February, 1978, as the Public Health Engineering Department had exceeded the Budget provision. However, Government have released Letter of Credit to the extent of Rs. 35.50 lakhs during March, 1978, under the Bore Wells Programme and under Accelerated Rural Water Supply Programme and action is being taken by the Public Health Engineering Department, to cover the remaining villages under the Bore Wells Programme.

The Deputy Commissioner, Bidar, and the Chief Engineer, M.I., and P.H.E., Dharwar, are making every effort to see that necessary relief is provided to the villagers in regard to drinking water.

ಶ್ರೀ ಭೀಮಣ್ಣ ಖಂಡ್ರೆ, — ಸ್ವಾಮಿ, ತಮಗೆ ಡೆಪ್ಯುಟಿ ಕಮಿಷನರ್ ಅವರು ಇನ್‌ಫರ್‌ಮೇಷನ್ ಕೊಟ್ಟಿದ್ದಾರೆ, ಅದನ್ನು ತಾವು ಇಲ್ಲಿ ಓದಿ ಹೇಳಿದಿರಿ, ಅದು ಸರಿಯಾಗಿಲ್ಲ ಎಂದು ನನಗನ್ನಿಸುತ್ತದೆ. ತಹಶೀಲ್ದಾರ್, ಬ್ಲಾಕ್ ಡೆವಲಪ್‌ಮೆಂಟ್ ಆಫೀಸರ್, ಬಾಲ್ಕಿ ಅವರು ನಮ್ಮ ಕಾಲಿಂಗ್ ಆಫೀಸ್‌ನ ಹೋದ ನಂತರ ಏನು ಉತ್ತರ ಕೊಟ್ಟಿದ್ದಾರೆ ಅದು ನನ್ನ ಹತ್ತಿರ ಇದೆ, ಅದನ್ನು ಓದುತ್ತೇನೆ ದಯವಿಟ್ಟು ಕೇಳಬೇಕು.

1. No. of villages where there is scarcity of D.W. 75 villages as per list enclosed which is submitted earlier on 10th March 1978. Out of 75 villages deepening work in 9 villages has been taken up and action is being taken to take up the works in other villages also. ಇದು ಅವರ ರಿಪೋರ್ಟ್.
2. No. of bore wells dried and not working condition 46 as per list enclosed. The A.E. P H E has been requested for repairing all these Bore Wells on 20th March 1978. ಇದನ್ನು ನಾನು ಕೇಳಿದ್ದೇನೆ, ಅದಕ್ಕೆ ಅವರು ಈ ರೀತಿ ಹೇಳಿದ್ದಾರೆ—

ನಾನು ಕೊಟ್ಟಂತ ಗಮನ ಸೆಳೆಯುವ ಸೂಚನೆ ಹೋದನಂತರ, ಅಲ್ಲಿ ಕೆಲಸ ಮಾಡಬೇಕು ಎಂದು ಹೇಳಿದ್ದಾರೆ. ಇವತ್ತು ಬಾಲ್ಕಿಟಾನ್‌ನಲ್ಲಿ ಸಾವಿರಾರು ಜನ ಹಗಲು ರಾತ್ರಿ ನಿದ್ದೆ ಇಲ್ಲದೆ ನೀರಿಗಾಗಿ ಶ್ರಮ ಪಡುತ್ತಿದ್ದಾರೆ. ಇಂತಹ ಅಧಿಕಾರಿಗಳು ಅಲ್ಲಿ ಇರುವುದರಿಂದ, ಮನೆಗಳಿಗೆ ನೀರನ್ನು ಒದಗಿಸಲಿಕ್ಕೆ ಸಾಧ್ಯವಾಗಿಲ್ಲ. ಇದರ ಬಗ್ಗೆ ಯೋಗ್ಯ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳಬೇಕೆಂದು ಹೇಳಬಯಸುತ್ತೇನೆ, ಇದರ ಜೊತೆಗೆ ಮುನಿಸಿಪಲ್ ಪ್ರೆಸಿಡೆಂಟರು ಬೋರ್‌ವೆಲ್ ರೂಂಗ್ ಒಂದು ಬೀಗ ಹಾಕಿಕೊಂಡು ತಮಗೆ ಬೇಕಾದಾಗ ನೀರನ್ನು ಉಪಯೋಗಿಸಿಕೊಳ್ಳುತ್ತಿದ್ದಾರೆ, ಇನ್ನೊಬ್ಬ ಆಫೀಸರ್ ತಮ್ಮ ಜವಾನನನ್ನು ಭಾವಿ ಹತ್ತಿರ ಕೂಡಿಸಿ ತನಗೆ ಬೇಕಾದಾಗ ನೀರನ್ನು ಉಪಯೋಗಿಸಿಕೊಳ್ಳುತ್ತಿದ್ದಾರೆ.

ಅಧ್ಯಕ್ಷರು, — ತಾವು ಇಷ್ಟೊಂದು ಪ್ರಶ್ನೆಗಳನ್ನು ಕೇಳಿದರೆ ಹೇಗೆ? ಕೇಳಬೇಕಾದ ಪ್ರಶ್ನೆಗಳನ್ನು ನೇರವಾಗಿ ಸ್ಪಷ್ಟವಾಗಿ ಕೇಳಬೇಕು,

ಶ್ರೀ ಭೀಮಣ್ಣ ಖಂಡ್ರೆ, — ಮಾನ್ಯ ಸಚಿವರು ಹಿಂದಿನದನ್ನು ಹೇಳುತ್ತಿದ್ದಾರೆ ನಾನು ಕೇಳುತ್ತಿರುವುದು ಈಗ ನಮ್ಮ ಕಡೆ ಲಿಫ್ಟ್ ಹಳ್ಳಿಗಳಲ್ಲಿ ನೀರಿಗೆ ಅಭಾವ ಇದೆ, ಇದರ ಬಗ್ಗೆ ಏನು ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳುತ್ತೀರಿ ಎಂದು, ಎರಡನೆಯದಾಗಿ ಎಕ್ಸ್‌ಕ್ಯೂಟಿವ್ ಇಂಜಿನಿಯರ್, ಪಿ.ಹೆಚ್.ಇ.,.....

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ತಾವು ಹೇಳುತ್ತಿರುವ ಲಿಟಿ ಹಳ್ಳಿಗಳಲ್ಲೂ ಕೆಲಸ ಮಾಡುತ್ತಿದ್ದಾರೆ ಎಂದಾಗಲಿ ಅಥವಾ ಮಾಡುತ್ತಿಲ್ಲ ಎಂದಾಗಲಿ ನಾನು ಹೇಳುವುದಕ್ಕೆ ಹೋಗುವುದಿಲ್ಲ. ಆದರೆ ಜನಗಳಿಗೆ ಅನುಕೂಲವಾಗುವಂತೆ ಕೂಡಲೇ ಕೆಲಸಮಾಡಿ ಎಂದು ಆಜ್ಞೆ ಮಾಡುತ್ತೇನೆ.

ಶ್ರೀ ಭೀಮಣ್ಣ ಖಂಡ್ರೆ.—ಎಸ್.ಆರ್.ಡಬ್ಲ್ಯು. ಸ್ಕೀಂನ್ನು ೧೯೭೭-೭೮ರಲ್ಲಿ ತೆಗೆದುಕೊಳ್ಳುತ್ತೇವೆಂದು ಹೇಳಿದ್ದೀರಿ. ಆದರೆ ಇದುವರೆಗೂ ಆ ಸ್ಕೀಂನ್ನು ಕಾರ್ಯಗತ ಮಾಡಿಲ್ಲ.

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಈಗ ಬೇಗ ಆಗುವಂಥವುಗಳನ್ನು ಮಾಡುತ್ತಿದ್ದಾರೆ, ಹೊಸ ಕೆಲಸ ತೆಗೆದುಕೊಳ್ಳುವುದು, ರೀಪೇರಿ ಮಾಡುವುದು ಮುಂತಾದದ್ದಕ್ಕೆ ಹಣವನ್ನೊದಗಿಸಿ, ಸುಗ್ರೀವಾಜ್ಞೆ ಹೊರಡಿಸಿ ಬೇಗ ಕೆಲಸ ಮಾಡಬೇಕೆಂದು ತಿಳಿಸುತ್ತೇವೆ.

ಶ್ರೀ ಭೀಮಣ್ಣ ಖಂಡ್ರೆ.—ರಿಗ್ಸ್ ಕಳಿಸಿಕೊಡಬೇಕೆಂದು ಡೆಪ್ಯುಟಿ ಕಮಿಷನರ್‌ರವರು ಕೇಳಿದ್ದರೂ ತಾವು ಕಳಿಸಿಕೊಟ್ಟಿಲ್ಲ, ಇದಕ್ಕೆ ಕಾರಣ ಏನು ?

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಡೆಪ್ಯುಟಿ ಕಮಿಷನರ್‌ರವರಿಂದ ಪತ್ರ ಬಂದರೆ ಅದನ್ನು ಕೊಡಲು ವ್ಯವಸ್ಥೆ ಮಾಡುತ್ತೇವೆ.

ಶ್ರೀ ಭೀಮಣ್ಣ ಖಂಡ್ರೆ.—ಬಾಲ್ಮಿ ಟೌನ್‌ಗೆ ನದಿ ನೀರನ್ನು ಒದಗಿಸಲು ವ್ಯವಸ್ಥೆ ಮಾಡುತ್ತೀರಾ?

ಶ್ರೀ ಕೆ. ಪ್ರಭಾಕರ್.—ಇದನ್ನು ಪರಿಶೀಲಿಸಿ ಕ್ರಮ ಕೈಗೊಳ್ಳುತ್ತೇವೆ.

(iii) *re : hardship to people of KGF due to Scarcity of drinking water.*

SRI C. M. ARUMUGHAM (KGF).—Sir, I call the attention of the Minister for Municipal Administration to the hardship caused to the people of K.G.F. due to scarcity of drinking water.

SRI H.C. Srikantaiah (Minister for Municipal Administration).—I wish to make the following Statement.

The present water level in Bethamangala tank is 52' 7" as against the full tank level of 54'. The quantity of water is 1,560 MG and this is sufficient to supply water to K.G.F. Area for a year from now at a daily supply of 1.8 MG. There was inadequate water supply only in Bazaar Street of Oorgumpet and in some pockets of Andersonpet and Robertsonpet. Shortage of water supply is not due to inefficient working of the distributing agency, but it is due to voltage fluctuation in Electrical Power Supply for about 15 days during March 1978 and due to the old pipelines which are existing in those streets. Some of them need replacement with higher diameter pipes. From 20th March 1978 onwards the Electrical Power Supply has been restored to normal and now no such alarming situation has been created. An estimate has been got up for Rs. 18.50 lakhs for improving the water supply scheme of the Town which mainly consists of remodelling the distribution system. The scheme is under the consideration of Government.

SRI C. M. ARUMUGHAM.—In the light of the establishment of Bharat Earth Movers Ltd., and the strength of the workers and their families, will the Government kindly consider other sources that they could augment to increase of water supply in the entire K.G.F. area?